

Roof Edge Products

RUBBERBOND
FLEECEBACK
EPDM ROOFING SYSTEMS

Roofing the World for Over 50 Years

RUBBERBOND

Get an Edge on the Elements

Faced with a constant barrage of wind and rain, the roof edge is a low-sloped roof system's first line of defence against Mother Nature.

Unfortunately, more than half of all low-sloped roof failures can be attributed to faulty or poorly installed roof edge materials.


With RubberBond full line of prefabricated roof edge products, properly securing the roof edge has never been easier or more reliable.

As it is impossible to pre test field fabricated roof edging, RubberBond roof edge products ensure that your building is ready to handle the storm.

Features and Benefits


- Consistent, high quality protection
- Fast and simple to install.
- 200 micron plastisol coated steel
- Sheet life expectancy of 40 years.
- Coloured low profile fasteners for improved aesthetics
- Self tapping fasteners for fast installation.
- Range of colours and sizes available on request.

RubberBond 75/150 Edge Trim



- Range of depths available
- 3m lengths for efficient installation.
- Clean, simple finish to the roofing system.

RubberBond Drip Trim



- Fast, effective drip edge used in conjunction with 150mm PS tape.
- Suitable for long guttering runs.
- Range of depths available.


Roofing the World for Over 50 Years

Exclusive UK & Ireland distributors for Carlisle-Syntec and RubberBond EPDM

- Email: eng@rubberbond.co.uk • www.rubberbond.co.uk
- Tel: +44 (0) 1494 448792 • +44 (0) 1494 465393
- Flex-R Ltd., Unit 5 Central Park, Bellfield Road, High Wycombe, Bucks. HP13 5HG




RubberBond Wrap Edge




- Uses the RubberBond membrane to give a seamless drip edge.
- Fabricated on site to suit all situations
- Economical.

RubberBond Wall Trim



- 25mm x 100mm x 3000mm
- Fast, efficient trim to walls
- Economical alternative to lead cover flashing.
- Low scrap value - unlikely to be stolen.

RubberBond Termination Bar



- Allows for compression terminations to various surfaces.
- Removes the need to cut a chase into the upstand.
- 3.05m long
- Pre drilled for correct compression.

Roofing the World for Over 50 Years

Exclusive UK & Ireland distributors for Carlisle-Syntec and RubberBond EPDM

- Email: enq@rubberbond.co.uk • www.rubberbond.co.uk
- Tel: +44 (0) 1494 448792 • +44 (0) 1494 465393
- Flex-R Ltd., Unit 5 Central Park, Bellfield Road, High Wycombe, Bucks. HP13 5HG

RubberBond HP Fasteners



- Securement of insulation used with insulation plates
- Steel (22 gauge & heavier), Plywood and Wood Plank
- #3 Square Drive Recess, Flat Wafer Style Head and Buttress Threads, Mini Drill Point
- Length range 55mm – 175mm

RubberBond Insulation Plates



- 75mm x 75mm
- Used in conjunction with HP fasteners
- Low profile

RubberBond RB Fasteners



- For fastening edge trim terminations
- Complete with star drive head and EPDM washer
- 35mm and 45mm length fasteners
- Pre coloured to match trims

Roofing the World for Over 50 Years

Exclusive UK & Ireland distributors for Carlisle-Syntec and RubberBond EPDM

- Email: enq@rubberbond.co.uk • www.rubberbond.co.uk
- Tel: +44 (0) 1494 448792 • +44 (0) 1494 465393
- Flex-R Ltd., Unit 5 Central Park, Bellfield Road, High Wycombe, Bucks. HP13 5HG